

Application: GLN-27-SW-001, Glendale FY2027 PM-10 Cert Street Sweeper

Funding Information

Total Estimated Cost of Sweeper	\$416,705.15
Total Eligible Costs	\$385,139.15
Ineligible Costs	\$31,566.00
Agency Cash Match	\$21,952.93
Total Agency Share of Costs	\$53,518.93
Federal Share of Costs	\$363,186.22

Sweeper Purpose

Replace a Noncertified Street Sweeper	No
Expand Service Area	Yes
Increase Sweeping Frequency	No
Replace an Older Certified Street Sweeper	Yes

Roadway Types

Arterial	Yes
Collector	Yes
Residential	Yes
Other	No
Description of Other Lanes	

Roadway Type Information

Arterial Sweep Cycle Length (measured in days between sweepings)	30
--	----

Application: GLN-27-SW-001, Glendale FY2027 PM-10 Cert Street Sweeper

Roadway Type Information

Arterial Lane Miles to be Swept per Cycle	118
Arterial Average Weekday Traffic per Lane Being Swept	3,650
Collector Sweep Cycle Length (measured in days between sweepings)	30
Collector Lane Miles to be Swept per Cycle	89
Collector Average Weekday Traffic per Lane Being Swept	1,285
Residential Sweep Cycle Length (measured in days between sweepings)	30
Residential Lane Miles to be Swept per Cycle	320
Residential Average Weekday Traffic per Lane Being Swept	1,020
Other Sweep Cycle Length (measured in days between sweepings)	
Other Lane Miles to be Swept per Cycle	
Other Average Weekday Traffic per Lane Being Swept	

Expand Service Areas

Expand Arterial Lane Miles	1
Expand Collector Lane Miles	5
Expand Residential Lane Miles	1
Expand Other Lane Miles	

Application: GLN-27-SW-001, Glendale FY2027 PM-10 Cert Street Sweeper

Increase Sweeping Frequency

Previous Arterial Cycle Length	
Previous Collector Cycle Length	
Previous Residential Cycle Length	
Previous Other Cycle Length	

Replace a PM-10 Certified Street Sweeper

Number of hours in service on the sweeper that is being replaced	5,087
Additional information about hours in service	
The month and year that the older certified sweeper was put into service	October 2017
Additional information about service date	
Number of miles (including deadhead miles) on the sweeper that is being replaced	32,173
Additional information about service miles	
Percent of time older sweeper was out of service	28%
Additional information about out of service percentage	Sweeper was out of service for repairs on various components of the sweeper and for routine maintenance service.

Proximity to PM-10 Monitor

Will the requested certified sweeper be used within 4 miles of a PM-10 monitor?	Yes
Names of PM-10 monitors within 4 miles of sweeping route	Glendale

Application: GLN-27-SW-001, Glendale FY2027 PM-10 Cert Street Sweeper

Proximity to PM-10 Monitor

Local Resource Allocation

Have local resources been committed to support the operation of the sweeper?	Yes
Details about local resources	The Field Operations Department, Solid Waste Division, has designated four employees with an Equipment Operator job title to utilize the street sweepers within the City boundaries. Their average annual salary is \$68,010, and their average annual benefits are \$29,900. The average annual O&M is \$51,030.

Geographical Area

Geographical area that the requested street sweeper will operate	The certified street sweeper will be utilized in and will impact all streets within the City boundaries: residential, collector and arterial.
--	---

Additional Information

Is the agency willing to provide MAG with additional information?	Yes
Number of Certified Sweepers Operated by Agency	7
Number of Noncertified Sweepers Operated by Agency	0

Signature

Signature	Michelle Woytenko
Signed Date	9/14/2026 11:51:11 AM
Signed User	mwoytenko@glendaleaz.com, Michelle Woytenko



Freightliner of Arizona, LLC

9899 W. Roosevelt St.
Tolleson, AZ 85353
(623) 907-9900

Buyers Order

DE-120553-1
09/08/2026

Contact: Cory Thompson - Mobile: - Email: cthompson@vvgtruck.com

Bill To: 131050

CITY OF GLENDALE EQUIPMENT MANAGEMENT
6210 W Myrtle Ave Ste 111
Glendale AZ 85301-1700
Phone: (623) 930-2696 FAX: (623) 915-3123
dhowitt@glendaleaz.com

Ship To:

CITY OF GLENDALE EQUIPMENT MANAGEMENT
6210 W Myrtle Ste 111
Glendale AZ 85301-7700

Stock#:
VIN: TBD

New 2028 FREIGHTLINER M2106 PLUS

Price: \$146,715.00

XBROOM SWEEPER

\$238,005.00

Unit Price: \$384,720.00

Total \$384,720.00

State Sales Tax \$31,956.77

Arizona Tire Tax \$28.38

Total Vehicle Sale Price \$416,705.15

Total Deposit :

Net Total \$416,705.15

Lienholder: None.

-C/O PHOENIX CONTRACT #161087-0

-QUOTE INCLUDES XBROOM SWEEPER INSTALL, RH DRIVE MODIFICATION AND RED DOT A/C PACKAGE

*** PRICING IS SUBJECT TO CHANGE DUE TO SUPPLY CHAIN AND PRODUCTION ISSUES. ***

THIS ORDER INCLUDES PRICE ESTIMATES AND COVERS ONLY THE GOODS AND SERVICES SPECIFIED ABOVE. PRICES MAY CHANGE BY THE TIME OF SALE. THIS IS NOT AN INVOICE. NO UNWRITTEN OR PRIOR ORDERS ARE BINDING. TAX AMOUNTS MAY BE ESTIMATED OR NOT INCLUDED ON THIS ORDER. PURCHASER SHALL PAY ALL TAXES ACTUALLY INCURRED AT THE TIME OF SALE.

By signing below on Purchaser's behalf, the signor certifies that: (i) they have the legal capacity and authority to execute this Order on behalf of the Purchaser entity listed below; (ii) they have read, understand and agree to all pages of this Order; (iii) no credit has been extended to the Purchaser entity listed below (unless explicitly stated otherwise, above), and (iv) they have received a copy of this Order.

Dealer: Freightliner of Arizona, LLC
(Printed)

Customer: CITY OF GLENDALE EQUIPMENT MANAGEMENT
(Printed)

By: _____
(Signature)

By: _____
(Signature)

Date

Date

SWORN to and SUBSCRIBED before me this _____ day of _____, _____. Notary Public: _____

May 19, 2017

**EXAMPLES OF ADDITIONAL STREET SWEEPER EQUIPMENT
NOT ELIGIBLE FOR REIMBURSEMENT**

- | | |
|---|---|
| 1. Automatic lubrication system
(Autolube, grease jockey system) | 19. Foam filled tire |
| 2. Hopper access step | 20. Window tinting |
| 3. Hydrant hopper wash down system
STANDARD | 21. Move exhaust port to left side of vehicle |
| 4. Conveyer flush kit with hydrant | 22. John Deere auxiliary engine - Tier iT4 |
| 5. 1000 pounds per square inch (PSI) wand | |
| 6. Dual HiBack air-suspended seats
\$477 | |
| 7. Hand hose | |
| 8. Hopper sound suppression | |
| 9. Right hand steer chassis upcharge
\$20,000 | |
| 10. Air horn (reimbursable when
conventional electric horn is not
included)
\$89 | |
| 11. AM/FM radio; CD
STANDARD | |
| 12. Training
STANDARD | |
| 13. Magnet bar | |
| 14. Stainless steel hopper | |
| 15. Sweeper, truck and wheel yellow paint | |
| 16. Additional roof-mounted air
conditioner
\$11,000 | |
| 17. Holder rear mount for five-gallon pail | |
| 18. Cigarette lighter with 12v | |

Databook	Origin TCO #	Description	Value
PRL-30M	001	PRICE LEVEL INFORMATION M2 PRL-30M (EFF:MY27 ORDERS)	
		GENERAL APPLICATION INFORMATION	
AA1-002	D	TRUCK CONFIGURATION	
AA6-001	D	DOMICILED, USA 50 STATES (INCLUDING CALI	
	D	FORNIA AND CARB OPT-IN STATES)	
AF2-998	D	NO STATE/PROVINCE DOMICILE SELECTED	
A85-010	D	UTILITY/REPAIR/MAINTENANCE SERVICE	
AA3-022	D	STREET SWEEPER BODY	
AA2-998	D	NO TRAILER SPECIFIED OR NO TRAILER	
AA5-002	D	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN	
	D	TRANSIT, IS SPENT ON PAVED ROADS	
AB5-001	D	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO	
	D	ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA	
	D	D SURFACE	
AA4-011	D	FIXED LOAD COMMODITY	
A84-1UT	D	UTILITY BUSINESS SEGMENT	
A66-99D	D	EXPECTED FRONT AXLE(S) LOAD	12000 LBS
A68-99D	D	EXPECTED REAR DRIVE AXLE(S) LOAD	21000 LBS
A63-99D	D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY	33000 LBS
AC8-99D	S	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	74.213 IN
AL8-99D	S	CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3 IN
AL4-99D	S	CALC'D FRAME LENGTH BACK OF CAB	94.37 IN
AL6-99D	S	CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-91.37 IN
AM1-99D	S	CALC'D OVERALL LENGTH AT BODY OR EOF	200.669 IN
AC3-99D	S	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	75.493 MPH
AF7-99D	D	BRAKING-EXP CG OF BODY&LOAD ABOVE FRAME	32 IN
AK2-99D	S	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32 IN
AM3-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	39.356 IN
AR1-99D	S	CAL'D FRAME HT AT FRONT SUSP-UNLADEN	40.999 IN
AM2-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	41.007 IN
AM0-99D	S	TOP OF FRM TO RR TIRE TOP-UNLD	-0.593 IN
ALG-99D	S	CALC'D CAB HEIGHT ABOVE FRAME	67.864 IN
ALJ-99D	S	CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	106.686 IN
ALH-99D	S	CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	108.867 IN
AF3-2FE	D	NESCO	
		MAXIMUM GVW & AXLE SYSTEM CAPACITIES	
A61-99D	S	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12000 LBS
A59-99D	S	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	23000 LBS
A60-99D	S	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0 LBS
A62-99D	S	RATED MAXIMUM VEHICLE CAPACITY - GVWR	33000 LBS
		BASE MODEL	
001-172	D	M2 106 CONVENTIONAL CHASSIS	F 5700 R 3400
004-227	D	2027 MODEL YEAR SPECIFIED	
007-026	S	2026 ENGINE MODEL YEAR	
095-091	D	MEDIUM TRUCK WARRANTY	
002-004	D	SET BACK AXLE - TRUCK	
019-004	D	STRAIGHT TRUCK PROVISION, NON-TOWING	
31Z-014	S	PRODUCTION YEAR 2026 SOFTWARE PACKAGE (J	
	S	ADE)	
003-012	D	LH PRIMARY STEERING LOCATION AND PREP FO	
	D	R CUSTOMER SUPPLIED RH SIT-DOWN SECONDAR	
	D	Y STEERING LOCATION WITH DUAL INSTRUMENT	
	D	CLUSTER	
		ENGINE	
101-3BN	D	CUM L9 300 HP @ 2200 RPM; 2200 GOV RPM,	F 640 R 30
	D	860 LB-FT @ 1200 RPM	
09C-124	D	EPA 2010 GHG 2024/CARB 2024 ULTRALOW NOX	
	D	CONFIGURATION	
09X-024	S	OBD 2024	

Databook	Origin TCO #	Description	Value
99Z-006	S	VEHICLE IS SUBJECT TO EPA GHG21/GHG24	
99D-019	D	CARB CLEAN IDLE LABELS NOT FOR INITIAL R	
	D	EGISTRATION IN STATES REQUIRING CARB EMI	
	D	SSIONS CERTIFICATION (INCLUDES 6X4 INCH	
	D	LABELS ON LOWER FORWARD OF DRIVER DOOR)	
955-019	D	RUGGED TRIM PACKAGE	
9EE-001	S	CEEA+ 667 ELECTRICAL ARCHITECTURE	
98F-015	D	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC	
	D	OVER THE ROAD ACTIVE REGENERATION AND VI	
	D	RTUAL REGENERATION REQUEST SWITCH IN CLU	
	D	STER AND DASH MOUNTED INHIBIT SWITCH	
79A-075	D	75 MPH ROAD SPEED LIMIT	
79B-000	D	CRUISE CONTROL SPEED LIMIT SAME AS ROAD	
	D	SPEED LIMIT	
79C-998	D	NO DRIVER FUEL ECONOMY INCENTIVE	
79D-998	D	NO PROGRESSIVE SHIFTING	
79E-998	D	NO LOW RANGE TORQUE PROTECT	
79F-998	D	NO FLEET MANAGEMENT	
79G-998	S	NO IDLE SHUTDOWN CONFIGURATION	
79J-998	D	NO PTO SHUTDOWN CONFIGURATION	
79K-025	D	PTO MODE ENGINE RPM LIMIT - 1250 RPM	
79L-016	D	PTO MODE THROTTLE OVERRIDE - LIMIT TO 15	
	D	00 RPM	
79M-001	D	PTO ENGINE SPEED CONTROL DEACTIVATED BY	
	D	SERVICE BRAKE LIGHTLY APPLIED (STATIONAR	
	D	Y APPLICATIONS)	
79N-998	D	NO PTO MODE CLUTCH OVERRIDE	
79P-003	D	PTO RPM WITH CRUISE SET SWITCH - 800 RPM	
79Q-003	D	PTO RPM WITH CRUISE RESUME SWITCH - 800	
	D	RPM	
79R-998	D	NO PTO MODE COOLING FAN	
79S-011	D	PTO MODE CANCEL VEHICLE SPEED - 30 MPH	
79T-998	D	NO PTO MODE RPM INCREMENT	
79U-007	D	PTO GOVERNOR RAMP RATE - 250 RPM PER SEC	
	D	OND	
79V-998	D	NO PTO MODE DPF REGEN	
79W-025	D	CRUISE CONTROL BUTTON PTO CONTROL AND ON	
	D	E REMOTE PTO SPEED	
79X-009	D	PTO SPEED 1 SETTING - 1200 RPM	
79Y-998	D	NO PTO 2 SET SPEED	
79Z-998	D	NO PTO 3 SET SPEED	
90A-998	D	NO ALTERNATE ROAD SPEED LIMIT	
97W-998	D	NO PTO MODE ENG RPM LIMIT, PTO 2	
97X-998	D	NO PTO MODE ENG RPM LIMIT, PTO 3	
97Y-998	D	NO PTO MODE ENG RPM LIMIT, PTOEM	
97Z-998	S	NO PTO MODE ENG RPM LIMIT, REMOTE	
98X-998	S	NO PTO 1 REMOTE SET SPEED	
98Y-998	S	NO PTO 2 REMOTE SET SPEED	
98Z-998	S	NO PTO 3 REMOTE SET SPEED	
95U-998	D	NO AMT COAST DOWN GEAR	
90B-998	D	NO CHECK ENGINE LIGHT ON OVERSPEED	
90C-998	D	NO ENGINE BRAKE WITH CRUISE CONTROL	
90D-998	S	NO SOFT CRUISE CONTROL	
90E-998	D	NO ENGINE FAN WITH RETARDER	
90F-998	D	NO MAINTENANCE MONITOR	
90G-015	D	PTO MINIMUM RPM - 800	
90S-021	D	PTO 1, WITH SWITCH, TEM SUPPLIED REQUEST	
	D	AND INTERLOCKS, WITH PTO CONNECTIONS, E	
	D	NGAGE BEFORE DRIVING INTERLOCKS	
90T-998	D	NO TRANS PTO 2 ENGAGEMENT CONTROLS	

Databook	Origin TCO #	Description	Value
30U-998	D	NO PTO 3 CONTROLS	
30V-998	D	NO ENGINE PTO MODE ACTIVATION CONTROLS	
35P-998	D	NO REAR PTO TRANSMISSION RANGE	
35Q-998	D	NO AMT DEFAULT START GEAR	
35K-998	S	NO PTO 1 J1939 CONTROL	
35L-998	S	NO PTO 2 J1939 CONTROL	
35M-998	S	NO PTO 3 J1939 CONTROL	
35N-998	S	NO ENGINE MOUNT PTO J1939 CONTROL	
30H-998	D	NO ACCELERATION MANAGEMENT	
30J-002	D	REGEN INHIBIT SPEED THRESHOLD - 5 MPH	
30R-998	S	NO DRIVETRAIN TORQUE PROTECTION	
30Y-998	S	NO CRUISE CONT-UPPER/LOWER LIMITS	
34E-000	D	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DT	
	D	NA AND ALLISON, THIS DEFINED BY ENGINE A	
	D	ND VOCATIONAL USAGE	
34F-000	D	SECONDARY SHIFT SCHEDULE RECOMMENDED BY	
	D	DTNA AND ALLISON, THIS DEFINED BY ENGINE	
	D	AND VOCATIONAL USAGE	
34G-000	D	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA	
	D	AND ALLISON, THIS DEFINED BY ENGINE AND	
	D	VOCATIONAL USAGE	
34H-000	D	SECONDARY SHIFT SPEED RECOMMENDED BY DTN	
	D	A AND ALLISON, THIS DEFINED BY ENGINE AN	
	D	D VOCATIONAL USAGE	
34J-000	D	ENGINE BRAKE RANGE PRESELECT RECOMMENDED	
	D	BY DTNA AND ALLISON, THIS DEFINED BY EN	
	D	GINE AND VOCATIONAL USAGE	
34K-000	D	ENGINE BRAKE RANGE ALTERNATE PRESELECT R	
	D	ECOMMENDED BY DTNA AND ALLISON, THIS DEF	
	D	INED BY ENGINE AND VOCATIONAL USAGE	
34M-998	D	TCU-PUMP MODE OPTION NOT CONFIGURED	
35B-998	D	TCU-RANGE INDICATION NOT CONFIGURED	
35E-998	D	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT	
	D	CONFIGURED	
35F-998	D	TCU-MAX PTO ENGINE SPEED OPERATION NOT C	
	D	ONFIGURED	
35G-998	D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT	
	D	NOT CONFIGURED	
35H-998	D	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION N	
	D	OT CONFIGURED	
35J-998	D	NO TCU-2ND REVERSE OPTION	
		ENGINE EQUIPMENT	
13E-001	D	STANDARD OIL PAN	
105-001	D	ENGINE MOUNTED OIL CHECK AND FILL	
104-998	D	NO ENGINE OIL DRAIN/SAMPLE	
133-004	S	ONE PIECE VALVE COVER	
114-099	D	SIDE OF HOOD AIR INTAKE WITH FIREWALL MO	
	D	UNTED DONALDSON AIR CLEANER	
124-1D7	D	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALT	
	D	ERNATOR WITH REMOTE BATTERY VOLT SENSE	
292-235	D	(2) DTNA GENUINE, FLOODED STARTING, MIN	
	D	2000CCA, 370RC, THREADED STUD BATTERIES	
290-017	D	BATTERY BOX FRAME MOUNTED	
281-001	D	STANDARD BATTERY JUMPERS	
282-001	D	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE	
	D	UNDER CAB	
291-017	D	WIRE GROUND RETURN FOR BATTERY CABLES WI	
	D	TH ADDITIONAL FRAME GROUND RETURN	
289-001	D	NON-POLISHED BATTERY BOX COVER	
33M-998	D	NO AUXILIARY POWER DISTRIBUTION MANAGEME	

Databook	Origin TCO #	Description	Value
	D	NT	
293-058	D	NON-ESSENTIAL POSTIVE LOAD DISCONNECT, I	F 2
	D	N CAB CONTROL SWITCH MOUNTED OUTBOARD OF	
	D	DRIVER SEAT	
295-029	D	POSITIVE AND NEGATIVE POSTS FOR JUMPSTAR	F 2
	D	T LOCATED ON FRAME NEXT TO STARTER	
306-015	D	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12	F 2
	D	.3 VOLTS FOR DESIGNATED CIRCUITS	
180-998	D	NO CLUTCH	
183-998	D	NO CLUTCH BRAKE	
181-998	D	NO CLUTCH RELEASE BEARING LUBE	
182-998	D	NO CLUTCH RELEASE	
107-032	D	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRE	
	D	SSOR WITH INTERNAL SAFETY VALVE	
108-002	D	STANDARD MECHANICAL AIR COMPRESSOR GOVER	
	D	NOR	
131-013	D	AIR COMPRESSOR DISCHARGE LINE	
152-041	D	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT	
	D	ECTION SYSTEM	
128-1AR	D	CUMMINS INTEGRAL BRAKE WITH VARIABLE GEO	F 20
	D	METRY TURBO ON/OFF WITH BRAKE LAMPS	
116-1C2	D	RH OUTBOARD UNDER STEP MOUNTED HORIZONTA	F 30 R 25
	D	L AFTERTREATMENT SYSTEM ASSEMBLY WITH RH	
	D	B-PILLAR MOUNTED VERTICAL TAILPIPE	
239-020	D	10 FOOT 00 INCH (120 INCH+0/-5.9 INCH) E	
	D	XHAUST SYSTEM HEIGHT	
233-998	D	NO EXHAUST BRIGHTWORK (PLAIN)	
237-1CR	D	RH CURVED VERTICAL TAILPIPE B-PILLAR MOU	
	D	NTED ROUTED FROM STEP	
23U-001	D	6 GALLON DIESEL EXHAUST FLUID TANK	
43W-001	S	STANDARD DIESEL EXHAUST FLUID SYSTEM COO	
	S	LANT PLUMBING	
30N-003	D	100 PERCENT DIESEL EXHAUST FLUID FILL	
23Z-998	D	NO DIESEL EXHAUST FLUID TANK COVER	
43X-002	D	LH MEDIUM DUTY STANDARD DIESEL EXHAUST F	
	D	LUID TANK LOCATION	
23Y-001	D	STANDARD DIESEL EXHAUST FLUID PUMP MOUNT	
	D	ING	
43Y-001	D	STANDARD DIESEL EXHAUST FLUID TANK CAP	
242-011	D	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/T	
	D	AILPIPE SHIELD(S)	
240-998	D	NO OPTIONAL EXHAUST UPGRADE	
273-058	D	AIR POWERED ON/OFF ENGINE FAN CLUTCH	
276-001	D	AUTOMATIC FAN CONTROL WITHOUT DASH SWITC	
	D	H, NON ENGINE MOUNTED	
110-003	D	CUMMINS SPIN ON FUEL FILTER	
118-008	D	COMBINATION FULL FLOW/BYPASS OIL FILTER	
120-998	D	NO COOLANT FILTER	F -10
266-101	D	900 SQUARE INCH ALUMINUM RADIATOR	F 15
103-039	D	ANTIFREEZE TO -34F, OAT (NITRITE AND SIL	
	D	ICATE FREE) EXTENDED LIFE COOLANT	
171-007	D	GATES BLUE STRIPE COOLANT HOSES OR EQUIV	
	D	ALENT	
172-001	D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT	
	D	HOSES	
270-016	D	RADIATOR DRAIN VALVE	
168-002	D	LOWER RADIATOR GUARD	
360-998	D	NO FRONT ENGINE PTO	
361-998	D	NO REAR ENGINE PTO	
138-011	D	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK	F 4

Databook	Origin TCO #	Description	Value
	D	HEATER	
141-998	D	NO COOLANT HEATER - GAS/DSL	
166-998	D	NO OIL PREHEATER	
140-022	D	CHROME ENGINE HEATER RECEPTACLE MOUNTED	
	D	UNDER LH DOOR	
134-001	D	ALUMINUM FLYWHEEL HOUSING	
132-004	D	ELECTRIC GRID AIR INTAKE WARMER	
155-058	D	DELCO 12V 38MT HD STARTER WITH INTEGRATE	
	D	D MAGNETIC SWITCH	
106-002	D	ELECTRONIC ACCELERATOR CONTROL	
		TRANSMISSION & EQUIPMENT	
342-584	D	ALLISON 3500 RDS AUTOMATIC TRANSMISSION	F 200 R 60
	D	WITH PTO PROVISION	
352-998	D	NO AUXILIARY TRANSMISSION	
343-321	D	ALLISON VOCATIONAL PACKAGE 169 - AVAILAB	
	D	LE ON 3000/4000 PRODUCT FAMILIES WITH VO	
	D	CATIONAL MODEL RDS	
34B-012	D	ALLISON VOCATIONAL RATING FOR ON/OFF HIG	
	D	HWAY APPLICATIONS AVAILABLE WITH ALL PRO	
	D	DUCT FAMILIES	
34N-004	D	FUEL SENSE 2.0 PLUS - DYNACTIVE: PERFORM	
	D	ANCE, NEUTRAL AT STOP: ACTIVE	
34C-023	D	PRIMARY MODE GEARS, LOWEST GEAR 1, START	
	D	GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3	
	D	000/4000 PRODUCT FAMILIES ONLY	
34D-023	D	SECONDARY MODE GEARS, LOWEST GEAR 1, STA	
	D	RT GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR	
	D	3000/4000 PRODUCT FAMILIES ONLY	
341-018	D	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI	
	D	ON DRAIN, AXLE(S) FILL AND DRAIN	
345-003	D	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DA	
	D	SH MOUNTED	
37G-004	D	TRANSMISSION PROGNOSTICS - ENABLED 2013	
348-998	D	NO TRANSMISSION ACCESSORIES	
35V-998	D	NO AMT LOW MODE	
35W-998	D	NO AMT MANUAL MODE	
35X-998	D	NO AMT DRIVE MODE	
35Y-998	D	NO AMT REVERSE MODE	
347-998	D	NO CLUTCH HOUSING MATERIAL	
370-015	D	WATER TO OIL TRANSMISSION COOLER, IN RAD	
	D	IATOR END TANK	
346-003	D	TRANSMISSION OIL CHECK AND FILL WITH ELE	
	D	CTRONIC OIL LEVEL CHECK	
368-998	D	NO EXTERNAL TRANSMISSION OIL FILTER	F -2
34T-000	S	DISABLE - NEUTRAL RANGE ASSIST	
34U-000	D	DRIVER SWITCH INPUT - DEFAULT - NO SWITC	
	D	HES	
34V-001	D	DIRECTION CHANGE ENABLED WITH MULTIPLEXE	
	D	D SERVICE BRAKES - ALLISON 5TH GEN TRANS	
	D	MISSIONS	
34W-998	D	NO TCU-AUX RANGE INHIBIT	
35D-001	S	SINGLE INPUT AUTOMATIC NEUTRAL WITH SELE	
	S	CTOR OVERRIDE WITH MULTIPLEXED PARK BRAK	
	S	E - ALLISON 5TH GEN TRANSMISSIONS	
353-074	D	QUICKFIT BODY LIGHTING CONNECTOR UNDER C	
	D	AB, WITH BLUNTCUTS	
34C-011	D	ELECTRONIC TRANSMISSION WIRING TO POWERT	
	D	RAIN INTERFACE CONNECTOR	
362-2JH	D	CHELSEA PTO - CHL281GMFJP B5XD	F 50
363-001	D	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSI	

Databook	Origin TCO #	Description	Value
	D	ON ALLISON & ZF	
375-998	D	NO AUXILIARY OIL COOLER	
377-998	D	NO POWER DIVIDER	
373-998	D	NO TRANSFER CASE	
376-998	D	NO SHIFT CONTROL, TRANSFER CASE	
371-998	D	NO AUX TRANS/TRANSFER CASE MTD POWER TAKEOFF	
35T-001	D	ATF-SYNTHETIC AUTOMATIC TRANSMISSION FLUID	
	D	ID	
385-998	D	NO MAIN DRIVELINE HARDWARE	
		FRONT AXLE, SUSPENSION & EQUIPMENT	
400-1A6	D	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI	
	D	/3.74 DROP SINGLE FRONT AXLE	
398-998	D	NO FRONT AXLE RATIO	
389-998	D	NO FRONT AXLE DRIVESHAFT	
402-020	D	MERITOR 15X4 Q+ CAM FRONT BRAKES	
403-002	D	NON-ASBESTOS FRONT BRAKE LINING	
419-023	D	CONMET CAST IRON FRONT BRAKE DRUMS	
427-998	D	NO FRONT BRAKE DUST SHIELDS	
409-006	D	FRONT OIL SEALS	
408-001	D	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL	
	D	STANDARD SPINDLE NUTS FOR ALL AXLES	
416-022	D	WABCO LONGSTROKE FRONT BRAKE CHAMBERS	
404-1B2	S	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	
405-002	D	TRW THP-60 POWER STEERING	
536-050	D	STEEL STEERING SHAFT	
537-005	S	POWER STEERING PUMP	
539-003	D	2 QUART SEE THROUGH POWER STEERING RESERVOIR	
534-015	D	NO POWER STEERING OIL COOLER	
533-998	D	GUARANTEED NAME BRAND "ROADRANGER SYNTHETIC" FE 75W-90 FRONT AXLE LUBE	
40T-004	D	12,000# DUAL TAPERLEAF FRONT SUSPENSION	F 42
520-1F0	D	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION	
519-005	D	NO FRONT SUSPENSION OPTIONS	
52G-998	D	FRONT SUSPENSION WITH LEFT HAND OFFSET SHOCKS	F 4
52H-010	D	HACKLE BRACKET	
	D	NO FRONT SWAYBAR	
529-998	D	FRONT SHOCK ABSORBERS	
410-001	D	REAR AXLE, SUSPENSION & EQUIPMENT	
420-051	D	MERITOR RS-23-160 23,000# R-SERIES SINGLE REAR AXLE	R 180
	D	5.38 REAR AXLE RATIO	
421-538	D	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING	
424-001	D	NO (#1) DRIVELINE	
382-998	D	RPL14 MERITOR SERVICE-FREE MAIN DRIVELINE WITH HALF ROUND (17T) YOKES	F -20 R -20
386-094	D	NO INTERAXLE (#3) DRIVELINE	
388-998	D	NO DRIVELINE GUARD	
393-998	D	NO TRACTION EQUALIZER	
452-998	D	NO AIR PP & CONT-DIFF LKOUT,CAB	
378-998	D	NO INTERAXLE LOCK WIRING/LOGIC	
37A-998	D	NO DIFFERENTIAL LOCK WIRING/LOGIC	
37B-998	D	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	
423-020	D	NON-ASBESTOS REAR BRAKE LINING	
433-002	D	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE	
434-005	D		

Databook	Origin TCO #	Description	Value
	D	OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT	
	D	BRACKETS	
451-023	D	CONMET CAST IRON REAR BRAKE DRUMS	
425-002	D	REAR BRAKE DUST SHIELDS	R 5
440-006	D	REAR OIL SEALS	
435-998	D	NO DRIVELINE PARKING BRAKE	
426-100	D	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE	
	D	SPRING PARKING CHAMBERS	
428-003	D	HALDEX AUTOMATIC REAR SLACK ADJUSTERS	
376-998	D	NO AIR PP/ELECT AXLE SHIFT,CAB	
37C-998	D	NO DRIVE/SHIFT AXLE WIRING/LOGIC	
398-998	D	NO AIR PP/ELECT-AXLE SHIFT,CHAS	
41T-003	D	GUARANTEED NAME BRAND "ROADRANGER SYNTHETIC" FE 75W-90 REAR AXLE LUBE	
522-1G5	D	AIRLINER 23,000# REAR SUSPENSION W/O CHAIR IN CLEARANCE	R 250
334-998	D	NO REAR SUSPENSION PACKAGE	
521-007	D	AIRLINER HIGH POSITION RIDE HEIGHT	
431-001	D	STANDARD AXLE SEATS IN AXLE CLAMP GROUP	
524-998	D	NO AXLE SPACING	
528-998	D	NO SUSPENSION BEAMS	
388-078	D	IGNITION CONTROLLED ELECTRIC DUMP SWITCH	
	D	FOR AIR SUSPENSION WITH STATE RETENTION AND GAUGE	
37D-012	D	REAR AIR SUSPENSION DUMP VALVE AUTOFILL	
	D	>5 MPH WITH INDICATOR LIGHT	
310-001	D	SINGLE AIR REAR SUSPENSION LEVELING VALVE	
523-002	D	TRANSVERSE CONTROL RODS	
530-998	D	NO REAR SUSPENSION STABILIZER	
525-998	D	NO REAR SUSPENSION OPTIONS	
439-004	D	REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDER SUSPENSION)	
335-998	D	NO DEAD AXLE PACKAGE	
443-998	D	NO PUSHER OR TAG AXLE	
456-998	D	NO PUSHER/TAG BRAKES	
457-998	D	NO BRAKE LINING-PUSHER/TAG(SCO)	
448-998	D	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TAG	
429-998	D	NO PUSHER/TAG BRAKE DUST SHIELDS	
442-998	D	NO PUSHER OR TAG OIL SEALS	
444-998	D	NO PUSHER OR TAG HUB CAPS	
445-998	D	NO PUSHER OR TAG BRAKE CHAMBERS	
458-998	D	NO PUSHER/TAG SLACK ADJUSTERS	
526-998	D	NO PUSHER OR TAG SUSPENSION	
374-998	D	NO PUSHER/TAG AXLE LIFT	
396-998	D	NO PLUMBING FOR LIFT AXLE	
37F-998	D	NO LIFT AXLE WIRING/LOGIC	
		BRAKE SYSTEM	
318-002	D	AIR BRAKE PACKAGE	
490-121	D	WABCO 4S/4M ABS WITH TRACTION CONTROL	
371-001	D	REINFORCED NYLON, FABRIC BRAID AND WIRE	
	D	BRAID CHASSIS AIR LINES	
46E-001	D	STANDARD AIR MANAGEMENT UNIT	
304-001	D	FIBER BRAID PARKING BRAKE HOSE	
412-001	D	STANDARD BRAKE SYSTEM VALVES	
46D-002	D	STANDARD AIR SYSTEM PRESSURE PROTECTION	
	D	SYSTEM	
413-002	D	STD U.S. FRONT BRAKE VALVE	
432-003	D	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,	

Databook	Origin TCO #	Description	Value
	D	NO REAR PROPORTIONING VALVE	
480-009	D	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	F 20
483-998	D	NO AIR SYSTEM OIL FILTER	
479-015	D	AIR DRYER FRAME MOUNTED	
460-058	H	STEEL AIR TANKS MOUNTED AFT INSIDE AND/O	
	H	R BELOW FRAME JUST FORWARD OF REAR SUSPE	
	H	NSION	
		INSTALL AIR TANKS SAME AS KU0100	
46A-998	D	NO AUXILIARY AIR TANK	
2TD-998	D	NO TRANSMISSION AIR TANK	
507-016	D	CLEAR FRAME RAIL FROM BACK OF CAB TO FRO	
	D	NT REAR SUSPENSION BRACKET LH RAIL INSID	
	D	E/OUTBOARD AND BELOW	
477-001	D	PULL CABLE ON WET TANK, PETCOCK DRAIN VA	
	D	LVES ON ALL OTHER AIR TANKS	
485-998	D	NO REMOTE AIR SYSTEM ACCESS	
481-998	D	NO TRAILER AIR HOSE	
476-998	D	NO AIR HOSE HANGER	
314-998	D	NO PLUMBING FOR AIR TO END OF FRAME	
319-998	D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING,	
	D	VALVES, OR AIR UNLOADER SYSTEM	
37G-998	D	NO WIRING/SWITCH-CHASS,OPT,AIR PP	
37T-998	D	NO WRG/SW-OPTL #2,CHAS,AIR	
484-998	D	NO TRAILER CABLE AND GLAD HANDS STORAGE	
296-998	D	NO SPECIAL PRIMARY RECEPTACLE WIRING	
335-998	D	NO CHASSIS POWER DISTRIBUTION MODULE	
32A-007	D	SIGNAL DETECTION AND ACTUATION MODULE	
37P-998	D	NO CAB AUXILIARY POWER WIRING	
308-998	D	NO SUPPLEMENTAL TRAILER CABLE WIRING	
297-998	D	NO TRAILER CABLE RECEPTACLE	
1AZ-998	D	NO TRAILER RECEPTACLE BRACKET	
331-998	D	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R	
	D	ECEPTACLE	
303-998	D	NO ADDITIONAL TRAILER CABLE RECEPTACLE	
30K-998	D	NO HIGH CURRENT RECEPTACLE/WIRING	
30L-998	D	NO HIGH CURRENT TRAILER/BODY CABLE	
310-998	D	NO TRAILER ELECTRICAL CABLE	
309-998	D	NO SUPPLEMENTAL TRAILER ELEC CABLE	
		FRAME & WHEELBASE	
545-355	D	3550MM (140 INCH) WHEELBASE	
546-129	D	8.0MM X 89.0MM X 261MM STEEL FRAME (0.31	F -250 R 230
	D	X3.50X10.28 INCH)140KSI; LE 33K LB GVW;	
	D	LIMITED TO 33,000 LB GVW	
547-998	D	NO INNER FRAME REINFORCEMENT	
548-998	D	NO OUTER FRAME REINFORCEMENT	
549-998	D	NO FRONT FRAME EXTENSION	
552-1A7	D	512MM (20.16 INCH) REAR FRAME OVERHANG	F 10 R -90
AB8-99D	S	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.663 %
553-019	D	FLANGED TAPERED 60 DEGREE ANGLE END OF	
	D	FRAME	
554-998	D	NO BUMPER/UNDERRIDE GUARD	
550-001	D	FRONT CLOSING CROSSMEMBER	
559-001	D	STANDARD WEIGHT ENGINE CROSSMEMBER	
561-001	D	STANDARD CROSSMEMBER BACK OF	
	D	TRANSMISSION	
562-001	D	STANDARD MIDSHIP #1 CROSSMEMBER(S)	
565-002	D	HEAVY DUTY SUSPENSION CROSSMEMBER	
572-001	D	STANDARD REARMOST CROSSMEMBER	
4L5-99D	S	CALC'D BUMPER TO REAR TOWING C/M FACE	200.669 IN
587-998	D	NO REAR TOWING DEVICE	

Databook	Origin TCO #	Description	Value
		CHASSIS EQUIPMENT	
574-998	D	NO LH OR RH BACK OF CAB ACCESS	
592-998	D	NO DECK PLATE	
556-1AR	D	THREE-PIECE 14 INCH CHROMED STEEL BUMPER	F 30
	D	WITH COLLAPSIBLE ENDS	
558-001	D	FRONT TOW HOOKS - FRAME MOUNTED	F 15
574-001	D	BUMPER MOUNTING FOR SINGLE LICENSE PLATE	
542-998	D	NO BUMPER/FENDER MOUNTED SIGHT RODS	
585-998	D	NO MUDFLAP BRACKETS	
590-998	D	NO REAR MUDFLAPS	
586-024	D	FENDER AND FRONT OF HOOD MOUNTED FRONT M	
	D	UDFLAPS	
576-998	D	NO TIRE CHAINS/HANGER	
551-007	D	GRADE 8 THREADED HEX HEADED FRAME FASTEN	
	D	ERS	
44Z-002	D	EXTERIOR HARNESSES WRAPPED IN ABRASION T	
	D	APE	
583-998	D	NO REAR QUARTER FENDERS	
500-998	D	NO CAB GUARD	
504-998	D	NO TIRE CARRIER	
489-998	D	NO TIRE PRESSURE CONTROL/SENSOR	
794-998	D	NO JACK OR WHEEL WRENCH PROVISION	
795-998	D	NO TOOLS	
505-103	D	D15-28195-000 CENTER PUNCH TO MARK CENTE	
	D	RLINE OF REAR SUSPENSION ON TOP FLANGE O	
	D	F FRAME	
506-580	D	DRLG PREP FOR NESCON,M2106FRMH, REV -, 1	
	D	/18/2022	
501-998	D	NO BODY BUILDER DIAGRAMS	
570-998	D	NO BODY TYPE	
		FIFTH WHEEL & EQUIPMENT	
578-998	D	NO FIFTH WHEEL	
577-998	D	NO FIFTH WHEEL LOCATION	
580-998	D	NO ADDITIONAL FIFTH WHEEL DRILLINGS	
582-998	D	NO FIFTH WHEEL LEG HEIGHT	
570-998	D	NO FIFTH WHEEL MOUNTING	
390-998	D	NO FIFTH WHEEL PLUMBING	
579-998	D	NO FIFTH WHEEL RELEASE/INST.	
591-998	D	NO FIFTH WHEEL ADD-ONS	
		FUEL TANK(S) & EQUIPMENT	
206-998	D	NO RH FUEL TANK	
201-998	D	NO RH AUXILIARY FUEL TANK	
204-215	D	50 GALLON/189 LITER SHORT RECTANGULAR AL	F 20
	D	UMINUM FUEL TANK - LH	
200-998	D	NO LH AUXILIARY FUEL TANK	
230-998	D	NO BETWEEN RAIL FUEL TANK	
203-998	D	NO HYDRAULIC OIL TANK	
218-005	D	RECTANGULAR FUEL TANK(S)	
215-005	D	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU	
	D	LIC TANK(S) WITH PAINTED BANDS	
212-007	D	FUEL TANK(S) FORWARD	
11F-998	D	NO NATURAL GAS VEHICLE FUEL TANK VENT LI	
	D	NE/STACK	
231-998	D	NO FUEL TANK MTG BETWEEN RAILS	
232-998	D	NO ADDITIONAL FUEL PROVIDED	
564-004	D	POLISHED STAINLESS STEEL STEP FINISH	
207-998	D	NO FUEL TANK SCREENS	
205-001	D	FUEL TANK CAP(S)	
220-998	D	NO FUEL HEATER	
122-1H3	D	DETROIT FUEL/WATER SEPARATOR WITH WATER	F -5

Databook	Origin TCO #	Description	Value
	D	IN FUEL SENSOR	
216-020	D	EQUIFLO INBOARD FUEL SYSTEM	
20E-998	D	NO AUXILIARY FUEL SUPPLY AND RETURN PORT	
	D	S	
202-016	D	HIGH TEMPERATURE REINFORCED NYLON FUEL L	
	D	INE	
213-998	D	NO FUEL LINE INSULATION	
221-998	D	NO FUEL COOLER	
		TIRES	
093-19N	D	BRIDGESTONE R273 ECOPIA 11R22.5 14 PLY R	F 20
	D	ADIAL FRONT TIRES	
094-19N	D	BRIDGESTONE R273 ECOPIA 11R22.5 14 PLY R	R 40
	D	ADIAL REAR TIRES	
095-998	D	NO PUSHER/TAG TIRES	
510-998	D	NO SPARE TIRE	
508-998	D	NO ADDITIONAL SPARE TIRE	
527-002	S	TIRE QTY - FRONT AXLE: 2	
528-004	S	TIRE QTY - REAR AXLE: 4	
		HUBS	
418-060	D	CONMET PRESET PLUS PREMIUM IRON FRONT HU	
	D	BS	
450-060	D	CONMET PRESET PLUS PREMIUM IRON REAR HUB	
	D	S	
449-998	D	NO PUSHER OR TAG HUBS	
		WHEELS	
502-1N5	D	F/L BEVEL LOGO 40620 22.5X8.25 10-HUB PI	F -46
	D	LOT 5.72 INSET ALUMINUM DISC FRONT WHEEL	
	D	S	
505-1N5	D	F/L BEVEL LOGO 40620 22.5X8.25 10-HUB PI	R -92
	D	LOT 5.72 INSET ALUMINUM DISC REAR WHEELS	
509-998	D	NO PUSHER/TAG DISC WHEELS	
511-998	D	NO SPARE WHEEL	
51A-998	D	NO ADDITIONAL SPARE WHEEL	
50T-998	D	NO FRONT AXLE WHEEL/HUB COVER	
50U-998	D	NO REAR AXLE WHEEL/HUB COVER	
524-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE	
	D	AN BUFF OR BRUSHED FINISH FRONT WHEELS	
525-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE	
	D	AN BUFF OR BRUSHED FINISH REAR WHEELS	
526-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE	
	D	AN BUFF OR BRUSHED FINISH PUSHER/TAG WHE	
	D	ELS	
52L-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE	
	D	AN BUFF OR BRUSHED FINISH SPARE WHEEL	
50W-998	D	NO RIM/WHEEL TIRE PRESSURE SENSOR	
496-011	D	FRONT WHEEL MOUNTING NUTS	
497-011	D	REAR WHEEL MOUNTING NUTS	
495-998	D	NO PUSHER/TAG WHEEL MOUNTING NUTS	
498-998	D	NO TIRE VALVE STEM/CAP/EXTENSIONS	
		CAB EXTERIOR	
329-071	D	106 INCH BBC FLAT ROOF ALUMINUM CONVENTI	
	D	ONAL CAB	
582-998	D	NO SLEEPER BOX/SLEEPERCAB	
784-998	D	NO AIR SHIELD OR BRACKETS	
783-998	D	NO SIDE EXTENDERS	
782-998	D	NO FRAME SIDE FAIRINGS	
550-008	D	AIR CAB MOUNTING	
705-998	D	NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS	
548-002	D	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR	
	D	ILLE	

Databook	Origin TCO #	Description	Value
754-998	D	NO FENDER EXTENSION	
578-001	D	LH AND RH GRAB HANDLES	
546-023	D	HOOD MOUNTED CHROMED PLASTIC GRILLE	
55X-003	D	CHROME HOOD MOUNTED AIR INTAKE GRILLE	
544-004	D	FIBERGLASS HOOD	
590-998	D	NO NOISE SHIELD-ENG COMPARTMENT	
727-1AF	D	SINGLE 14 INCH ROUND HADLEY AIR HORN UND	F 4
	D	ER LH DECK	
726-001	D	SINGLE ELECTRIC HORN	
728-998	D	NO HORN SHIELD	
557-001	D	DOOR LOCKS AND IGNITION SWITCH KEYED THE	
	D	SAME	
78G-002	D	KEY QUANTITY OF 2	
575-001	D	REAR LICENSE PLATE MOUNT END OF FRAME	
327-998	D	NO OTHER LIGHTS	
312-104	D	LED LOW BEAM AND HIGH BEAM HEADLIGHTS WI	
	D	TH CHROME BEZEL	
302-047	D	LED AERODYNAMIC MARKER LIGHTS	
314-998	D	NO ROADLIGHTS	
315-998	D	NO FOG LIGHTS	
311-998	D	NO DAYTIME RUNNING LIGHTS	
316-998	D	NO SPOTLIGHTS	
294-117	D	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE	R -5
	D	WIRING WITH SEPARATE STOP/TAIL WIRES TO	
	D	17 FEET BEYOND END OF FRAME	
300-015	D	STANDARD FRONT TURN SIGNAL LAMPS	
469-998	D	NO WORK LIGHT	
318-998	D	NO UTILITY/ADVERTISING LIGHT	
744-1BC	D	DUAL WEST COAST BRIGHT FINISH HEATED MIR	
	D	RORS WITH LH AND RH REMOTE	
797-001	D	DOOR MOUNTED MIRRORS	
796-001	D	102 INCH EQUIPMENT WIDTH	
743-204	D	LH AND RH 8 INCH BRIGHT FINISH CONVEX MI	
	D	RRORS MOUNTED UNDER PRIMARY MIRRORS	
74A-998	D	NO AUXILIARY MIRROR	
74B-080	D	RH AND LH 8 INCH STAINLESS STEEL FENDER	F 8
	D	MOUNTED CONVEX MIRRORS WITH TRIPOD BRACK	
	D	ETS	
713-998	D	NO PERMIT PLAQUE	
729-001	D	STANDARD SIDE/REAR REFLECTORS	
73A-998	D	NO REFLECTIVE DEVICES	
787-998	D	NO SECURITY DEVICE	
577-055	D	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH	
	D	POLISHED DIAMOND PLATE COVER	
275-998	D	NO EMERGENCY WARNING SIRENS	
764-010	D	COMPOSITE EXTERIOR SUN VISOR	F 10
768-043	D	63X14 INCH TINTED REAR WINDOW	
561-003	D	TINTED DOOR GLASS LH AND RH WITH TINTED	
	D	NON-OPERATING WING WINDOWS	
554-011	D	RH AND LH ELECTRIC POWERED WINDOWS	F 4
767-998	D	NO SIDE WINDOW	
769-998	D	NO LOWER DOOR WINDOW	
563-013	D	1-PIECE SOLAR GREEN GLASS WINDSHIELD	
559-020	D	2 GALLON WINDSHIELD WASHER RESERVOIR WIT	
	D	H FLUID LEVEL INDICATOR, FRAME MOUNTED	
547-998	D	NO WINTERFRONT	
		CAB INTERIOR	
707-107	D	GRAY & CARBON VINYL INTERIOR "RUGGED"	
70K-020	D	CARBON WITH PREMIUM GUNMETAL ACCENT (RUG	
	D	GED)	

Databook	Origin TCO #	Description	Value
706-013	D	MOLDED DOOR PANEL	
708-013	D	MOLDED PLASTIC DOOR PANEL	
772-006	D	BLACK MATS WITH SINGLE INSULATION	
785-026	D	(1)DASH MOUNTED 12V POWER OUTLET, (1)DAS	
	D	H MOUNTED DUAL USB-C OUTLET	
4E1-998	D	NO SW RCPTS & WRG, ALTN CSL LOC	
591-001	D	FORWARD ROOF MOUNTED CONSOLE	
594-998	D	NO INTERIOR GLOVE BOX/CAB FLOOR STORAGE	
596-998	D	NO REAR FLOOR STORAGE	
593-019	D	LH AND RH DOOR STORAGE POCKETS INTEGRATE	
	D	D INTO MOLDED DOOR PANELS	
326-998	D	NO LOWER BUNK	
566-998	D	NO BUNK RESTRAINT	
738-021	D	DIGITAL ALARM CLOCK IN DRIVER DISPLAY	
742-007	D	(2) CUP HOLDERS LH AND RH DASH	
580-029	D	M2/SD DASH	
360-998	D	NO WIRING	
716-998	D	NO WINDSHIELD FAN	
720-002	D	2-1/2 LB. FIRE EXTINGUISHER	F 5
71T-998	D	NO SMOKE/GAS DETECTOR	
714-998	D	NO FIRST AID KIT	
700-002	D	HEATER, DEFROSTER AND AIR CONDITIONER	
701-001	D	STANDARD HVAC DUCTING	
703-005	D	MAIN HVAC CONTROLS WITH RECIRCULATION SW	
	D	ITCH	
589-998	D	NO AUXILIARY HVAC UNIT	
170-015	D	STANDARD HEATER PLUMBING	
130-041	D	VALEO HEAVY DUTY A/C REFRIGERANT COMPRES	
	D	SOR	
702-002	D	BINARY CONTROL, R-134A	
739-033	D	STANDARD INSULATION	
285-013	D	SOLID-STATE CIRCUIT PROTECTION AND FUSES	
96R-002	S	STANDARD ELECTRICAL PROTECTIVE COATING,	
	S	GREASE ON BATTERY TERMINALS AND RED ENAM	
	S	EL PAINT IN ENGINE COMPARTMENT AND ON CH	
	S	ASSIS CONNECTIONS	
280-007	D	12V NEGATIVE GROUND ELECTRICAL SYSTEM	
324-1B3	D	STANDARD LED CAB LIGHTING	
555-005	D	LH AND RH ELECTRIC DOOR LOCKS	
740-998	D	NO MATTRESS	
284-998	D	NO POWER SUPPLY SLEEPER/CAB	
57E-998	D	NO ENTRY/ACCESS/STEP WIRING	
710-998	D	NO CAB PRIVACY CURTAIN	
722-002	D	TRIANGULAR REFLECTORS WITHOUT FLARES	F 10
756-338	D	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENS	F 30
	D	ION DRIVERS SEAT WTIH MECHANICAL LUMBAR	
	D	AND INTEGRATED CUSHION EXTENSION	
760-338	D	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENS	F 35
	D	ION PASSENGER SEAT WTIH MECHANICAL LUMBA	
	D	R AND INTEGRATED CUSHION EXTENSION	
762-998	D	NO REAR PASSENGER SEAT	
757-998	D	NO SEAT SKIRT(S)	
759-005	D	DUAL DRIVER AND PASSENGER SEAT ARMRESTS	F 8
711-004	D	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	
599-998	D	NO SEAT OPTIONS	
758-014	D	BLACK CORDURA PLUS CLOTH DRIVER SEAT COV	
	D	ER	
761-014	D	BLACK CORDURA PLUS CLOTH PASSENGER SEAT	
	D	COVER	
755-998	D	NO REAR PASSENGER SEAT COVERS	

Databook	Origin TCO #	Description	Value
763-101	D	BLACK SEAT BELTS	
5TS-009	D	(2) TMC RP1226 ACCESSORY CONNECTORS: (1)	
	D	LOCATED BEHIND PASSENGER SIDE REMOVEABL	
	D	EL DASH PANEL (1) CENTER OF BACKWALL/PAS	
	D	SENGER SIDE BAGGAGE COMPARTMENT	
532-027	D	ADJUSTABLE STEERING COLUMN, SUPPLIER CON	F 10
	D	VERSION TO LH AND RH ADJUSTABLE TILT STE	
	D	ERING COLUMNS	
540-070	D	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED	
	D	STEERING WHEEL WITH CHROME SWITCH BEZELS	
765-002	D	DRIVER AND PASSENGER INTERIOR SUN VISORS	
		CONTROLS & INSTRUMENTS	
370-002	D	BRIGHT ARGENT FINISH GAUGE BEZELS	
732-998	D	NO INSTRUMENT PANEL-DRIVER	
734-022	D	FULLY CONFIGURABLE CENTER INSTRUMENT PAN	
	D	ELS	
58J-998	D	NO SWITCH BLANK - INSTRUMENT PANEL	
486-001	D	LOW AIR PRESSURE INDICATOR LIGHT AND AUD	
	D	IBLE ALARM	
338-001	D	(1) PNEUMATIC SINGLE BRAKE APPLICATION A	
	D	IR GAUGE	
340-001	D	DUAL NEEDLE PRIMARY AND SECONDARY AIR PR	
	D	ESSURE GAUGE	
198-035	D	ELECTRONIC AIR RESTRICTION INDICATOR DIS	
	D	PLAYED IN DRIVER DISPLAY	
721-055	D	87 DB TO 112 DB SELF-ADJUSTING BACKUP AL	R 3
	D	ARM TEMPORARILY MOUNTED END OF FRAME WIT	
	D	H ADDITIONAL 10 FEET OF WIRE	
149-015	D	ELECTRONIC CRUISE CONTROL WITH CONTROLS	
	D	ON STEERING WHEEL SPOKES	
156-007	D	KEY OPERATED IGNITION SWITCH AND INTEGRA	
	D	L START POSITION; 4 POSITION OFF/RUN/STA	
	D	RT/ACCESSORY	
157-998	D	NO REMOTE START	
311-044	D	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH	
	D	TFT COLOR DISPLAY	
160-038	D	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE	
	D	CONNECTOR LOCATED BELOW LH DASH	
344-001	D	2 INCH ELECTRIC FUEL GAUGE	
345-998	D	NO FUEL FLOW GAUGE	
148-072	D	ENGINE REMOTE INTERFACE WITH ONE OR MORE	
	D	SET SPEEDS	
163-014	D	ENGINE REMOTE INTERFACE CONNECTOR AT POW	
	D	ERTRAIN INTERFACE CONNECTOR	
37L-001	D	ENGINE PTO SPEED CONTROL WITH PARK BRAKE	
	D	INTERLOCK	
3ZS-998	D	NO DRIVER FACING CAMERA	
33U-998	D	NO CUSTOMER DEFINED WIRING FUNCTION	
366-998	D	NO AXLE TEMPERATURE GAUGE	
356-001	D	ELECTRICAL ENGINE COOLANT TEMPERATURE GA	
	D	UGE	
354-998	D	NO ENGINE OIL TEMPERATURE GAUGE	
364-022	D	DIGITAL TRANSMISSION OIL TEMPERATURE IN	
	D	DRIVER DISPLAY	
367-004	D	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DI	
	D	SPLAY IN DRIVER MESSAGE CENTER	
330-017	D	ENGINE AND TRIP HOUR METERS INTEGRAL WIT	
	D	HIN DRIVER DISPLAY	
438-998	D	NO HUBODOMETER	
33A-998	D	NO WARNING LIGHT PROVISIONS	

Databook	Origin TCO #	Description	Value
372-123	D	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE	F -20
736-998	D	NO OBSTACLE DETECTION SYSTEM	
73K-998	D	NO SIDE OBJECT DETECTION SYSTEM	
72K-998	D	NO REVERSE PROXIMITY SENSOR	
73H-998	D	NO CAMERA/VIDEO/IMAGING SYSTEM	
49B-998	D	NO VEHICLE STABILITY ADVISOR OR CONTROL	
73B-998	D	NO LANE DEPARTURE WARNING SYSTEM	
73U-998	D	NO ROAD SIGN IMAGING/RESPONSE SYSTEM	
72J-998	D	NO DR ASSIST SYSTEM	
352-002	D	ELECTRIC ENGINE OIL PRESSURE GAUGE	
579-998	D	NO OVERHEAD INSTRUMENT PANEL	F 10
35M-011	D	1 QUICKFIT PROGRAMMABLE MODULE (QPM/XMC)	
	D	W/ (4) 20AMP FUSED RELAYS	
786-998	D	NO POSITIONING/LOCATING SYSTEM	
78A-998	D	NO POSITION/COMMUNICATION ACCESSORY	
1U1-998	D	NO NAVIGATION SYSTEM	
746-137	D	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939	
747-002	D	ROOF/OVERHEAD CONSOLE MOUNTED RADIO	
74D-006	D	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS	
750-002	D	(2) RADIO SPEAKERS IN CAB	
753-001	D	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	
748-998	D	NO CB RADIO/PROVISION	
749-998	D	NO CB RADIO MOUNTING PROVISION	
75W-998	D	NO MULTIBAND ANTENNA	
752-998	D	NO CB ANTENNA, BRACKET OR LEAD	
78C-998	D	NO DIGITAL SATELLITE AUDIO RECEIVER ANTENNA	
310-027	D	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER	
317-001	D	STANDARD VEHICLE SPEED SENSOR	
312-001	D	ELECTRONIC 3000 RPM TACHOMETER	
48C-004	D	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH BLUNTCUTS	
313-1C8	D	DETROIT CONNECT PLATFORM HARDWARE	
3DE-998	D	NO BASE DATA SERVICE EXTENSION	
3D1-313	D	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES	
3D3-998	D	NO SAFETY SYSTEMS DATA SERVICE	
3D5-998	D	NO DETROIT CONNECT VIDEO CAPTURE PACKAGE	
3Z1-998	D	NO ZONAR SERVICES SELECTED	
30K-998	D	NO SHUTDOWN OVERRIDE	
30L-998	S	NO REGEN SYSTEM TAILORING	
30M-998	S	NO ALTERNATE PTO SPEED	
30N-998	D	NO REDUCED ENGINE SPEED ON VSS FAILURE	
30P-998	S	NO FLEET SPEC FOR PARAMETERIZATION	
30Q-998	S	NO VEHICLE SPEED LIMIT - GHG	
30Z-998	S	NO AUTOMATIC ENGINE SHUTDOWN - GHG	
162-002	D	IGNITION SWITCH CONTROLLED ENGINE STOP	
385-998	D	NO CONTROLS-FIRE PUMP	
329-998	D	NO EXTRA SWITCH IN DASH	
31Y-005	D	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY	
48H-004	D	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH BLUNTCUTS	
4CG-998	D	NO TEM INTERFACE, SW PKG, MUX	
4CH-004	D	4 EXTRA PROGRAMMABLE SWITCHES/INDICATORS	

Databook	Origin TCO #	Description	Value
		\$C1B0060ZZ,C1C0071ZZ,C1D0206ZZ,C1E0134ZZ	
4C0-998	D	NO TEM INTERFACE, SW PKG, GRAPHICS	
4C1-998	D	NO HARDWIRE SWITCH #1	
4C2-998	D	NO HARDWIRE SWITCH #2	
4C3-998	D	NO HARDWIRE SWITCH #3	
4C4-998	D	NO HARDWIRE SWITCH #4	
44R-998	D	NO ON/OFF LATCHING SMARTPLEX SWITCH	
44S-998	D	NO ON/OFF MOMENTARY SMARTPLEX SWITCH	
44T-998	D	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH	
44U-998	D	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH	
44V-998	D	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS	
44W-998	D	NO UNDEFINED INDICATOR LAMPS	
264-032	D	(2) OVERHEAD MOUNTED LANYARD CONTROLS:	
	D	(1) OFFICER AIR HORN AND (1) DRIVER AIR	
	D	HORN	
482-998	D	NO TRACTOR PROTECTION VALVE	
383-998	D	NO TRAILER HAND CONTROL BRAKE VALVE	
342-006	D	DIGITAL TURBO AIR PRESSURE IN DRIVER DIS	
	D	PLAY	
336-015	D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR	
	D	IVER DISPLAY	
560-008	D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W	
	D	ITH DELAY	
304-030	D	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HE	
	D	ADLIGHTS SWITCH WITH PULL OUT FOR OPTION	
	D	AL FOG/ROAD LAMPS	
31B-003	D	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIV	
	D	ER DISPLAY	
27D-998	D	NO ALTERNATING FLASHING HEADLAMP SYSTEM	
382-009	D	ONE VALVE PARKING BRAKE SYSTEM WITH WARN	
	D	ING INDICATOR	
299-020	D	SELF CANCELING TURN SIGNAL SWITCH WITH D	
	D	IMMER, HEADLAMP FLASH, WASH/WIPE/INTERMI	
	D	TTENT	
298-046	D	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER	
	D	WITH 40 AMP (20 AMP PER SIDE) TRAILER LA	
	D	MP CAPACITY	
369-998	D	NO MISCELLANEOUS GAUGES	
		PAINT	
065-000	D	PAINT: ONE SOLID COLOR	
080-5F6	D	CAB COLOR A: L0006EY	
	D	WHITE ELITE EY	
086-020	D	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS	
	D	PAINT	
08K-998	D	NO FUEL TANK CABINET PAINT	
062-998	D	PAINT-FRT WHEEL COLOR: NONE	
066-998	D	PAINT-RR WHEEL COLOR: NONE	
06E-998	D	NO PUSHER/TAG WHEEL PAINT	
06F-998	D	NO SPARE WHEEL PAINT	
48Q-998	D	NO TIRE INFLATION DEVICE/SYSTEM	
064-998	D	NO BUMPER PAINT	
076-995	D	SUNVISOR PAINTED SAME AS CAB COLOR A	
069-998	D	NO CAB/BODY EXTERIOR DECALS	
063-003	D	STANDARD E COAT/UNDERCOATING	
		ADDITIONAL SPECIFICATIONS	
50V-998	D	NO ELECTRONIC DEVICES, PDI INST (SCO)	
098-998	D	DEALER ACCEPTS RESPONSIBILITY FOR IN-SER	
	D	VICE PDI INSPECTION	
058-998	D	NO INSPECTION-LABOR ONLY	
05M-998	D	NO CUSTOMER FURNISHED MATERIAL SPECIFIED	

Databook	Origin TCO #	Description	Value
99B-001	D	SHIP TO FONTAINE (MOUNT HOLLY, NC) PRIOR	
	D	TO DELIVERY	
32N-998	D	NO SHIPPING PROTECTION	
999-998	D	NONE	
96-001	D	U.S. FMVSS CERTIFICATION, EXCEPT SALES C	
	D	ABS AND GLIDER KITS	
AB1-008	D	MAXIMUM 8% EXPECTED GRADE	
MWF-004	S	DETROIT FRONT AXLE COVERAGE, GENERAL SER	
	S	VICE, 2 YEAR/UNLIMITED MILES/KILOMETERS	
		DEALER NET	
RCN-100	001	PRICE CONCESSION SYSTEM	
7A-200		TOW ONLY CHARGE	
WAG-074		TOWING: 1 YEAR/UNLIMITED MILES/KM EXTEND	
		ED TOWING COVERAGE \$750 CAP FEX APPLIES	
CA-001	001	ADDITIONAL DISCOUNT PER CONCESSION	
AG-020		CUMMINS TARIFF CHARGE - \$205	
PMV-024		GHG24 SURCHARGE - CUMMINS	
73-2FT	001	STANDARD DESTINATION CHARGE	
RD3-998		NO SAFETY EVENT VIEWER	
AT-025		TARIFF IMPACT FEE M2 106/112, 108/114 SD	
NZ-011		CARB-COMPLIANT BASE WARRANTY B6.7/L9 <=3	
		25	
27-001		MY27 ESCALATOR	



Nescon, LLC.
4638 East Ingram St.
Mesa, Arizona 85205
Phone: 480-505-0001

THIS INVOICE CONTAINS CONFIDENTIAL INFORMATION THAT IS NOT TO BE SHARED WITH ANY PERSONS
OTHER THAN THOSE DIRECTLY INVOLVED IN THE PURCHASE OF EQUIPMENT LISTED BELOW

Bill to:
City of Glendale
Public Works

JOB NAME: DanielC

Job No: BRMXXXX

Ship to:
City of Glendale
Public Works

DATE: 9/5/2025

INVOICE NO:

komiiti.tenane@martinmarietta.com

Due: Upon Receipt

YES / NO Check	ITEM	QUANTITY	U.M.	SELL PRICE TOTAL	LIST PRICE TOTAL
X	2025/2026 Freightliner CDL/Non-CDL Model M2 PLUS / L9 Cummins 8.9L/300HP,860TQ / Allison 3500 6SPD VIN: Equipped with X-Broom: SN: BRMXXXX *UPFIT ONLY*	1	Ea.	\$ 225,000.00	\$ 225,000.00
	Backup Camera - 1 Camera	1	Ea.	\$ 1,400.00	\$ -
X	Dual Camera - Hopper and Backup	1	Ea.	\$ 1,600.00	\$ 1,600.00
	Quad Camera System	1	Ea.	\$ 2,200.00	\$ -
X	Beacon, Wired to Top of Hopper, Includes Work Light in Hopper.	1	Ea.	\$ 750.00	\$ 750.00
X	Aluminum Wheels, 6 Polished Turbo.	1	Ea.	\$ 2,200.00	\$ 2,200.00
X	Chrome Heated Mirrors	1	Ea.	\$ 450.00	\$ 450.00
X	Chrome Front Bumper	1	Ea.	\$ 500.00	\$ 500.00
X	Power Windows/Door Locks	1	Ea.	\$ 450.00	\$ 450.00
X	Front Cab Visor	1	Ea.	\$ 400.00	\$ 400.00
X	Advanced Arrow. 25 LED 4" amber lights with separate controller. Can flash sequential Chevrons, arrows, alternating diamonds, and horizontal bar.	1	Ea.	\$ 2,700.00	\$ 2,700.00
	Optional Main Broom (TUBE/STRIP)	1	Ea.	\$ 2,600.00	\$ -
	Main Broom Down Pressure Option	1	Ea.	\$ 1,000.00	\$ -
	Stainless Hopper Bottom, Door	1	LS	\$ 11,100.00	\$ -
X	Work Lights on Top of Rear Panel	1	Ea.	\$ 400.00	\$ 400.00
X	Fill Hose Kit	1	Ea.	\$ 400.00	\$ 400.00
	Stainless Tool Box	1	Ea.	\$ 650.00	\$ -
	Door Controls (Broom and Hopper)	1	Ea.	\$ 1,000.00	\$ -
	25' Truck Washdown Kit	1	Ea.	\$ 300.00	\$ -
X	Light Package (8 Strokes, 1 Light Bar in Bumper)	1	Ea.	\$ 2,600.00	\$ 2,600.00
	Custom Color Option	1	Ea.	\$ 2,500.00	\$ -
X	Broom/Shovel Holder	1	Ea.	\$ 305.00	\$ 305.00
	Clear Lights (Arrow Board, Stop/Turn/Reverse, Marker)	1	Ea.	\$ 500.00	\$ -
X	Manual "On-The-Fly" Elevator Run/Off/Rev	1	Ea.	\$ 250.00	Included
X	Cab Controlled Variable Motor Speeds	1	Ea.	\$ 4,000.00	Included
	Poly Flights	1	Ea.	\$ 1,020.00	\$ -
	Piranha Brush Segments	1	Ea.	\$ 1,060.00	\$ -
	Pressure Washer/Hose	1	Ea.	\$ 4,000.00	\$ -
	Winterization Kit	1	Ea.	\$ 250.00	\$ -
	360 Light Package (52" Light Bars Mounted to Side Panels and Rear Arrow Board Panel)	1	Ea.	\$ 1,200.00	\$ -
	Hopper Dump Light	1	Ea.	\$ 400.00	\$ -
	Invoice Subtotal				\$ 237,755.00
X	FREIGHT (subject to change)	1	Ea.	\$ -	\$ -
	DEPOSIT	-1	Ea.	\$ 10,000.00	\$ -
	30 DAY TEMP TAG	1	Ea.	\$ 50.00	\$ -
X	DEALER DOC FEE	1	Ea.	\$ 250.00	\$ 250.00
	ESTIMATED DELIVERY: 30-60 DAYS				COST
	PM-10 COMPLIANT			Invoice Total:	\$ 238,005.00
	\$10,000 deposit required to hold build slot				
	Any applicable sales tax is the responsibility of the purchaser				
	BROOM PRICING PROVIDED IS SUBJECT TO RAW MATERIAL, DELIVERY, AND MAJOR COMPONENT COST INCREASES AS ANNOUNCED BY NESCON, LLC AND/OR THEIR SUPPLIERS				
	<u>Wiring Instructions</u>				
Bank:	JP Morgan Chase 2104 E Elliott Rd Tempe, AZ 85284				
Contact:	Nicolas Deleo, 480-963-2791				
ABA Routing no:	021000021				
Int'l Swift code:	CHASUS33				
Acct Name:	Nescon, LLC.				
Acct Number:	949565998				
Received By:			Date:		