

# Application: MES-27-SW-002, Purchase of PM-10 Sweeper for COM Transportation (replacement unit for 5307)

## Funding Information

|                                 |              |
|---------------------------------|--------------|
| Total Estimated Cost of Sweeper | \$505,853.93 |
| Total Eligible Costs            | \$480,522.64 |
| Ineligible Costs                | \$25,331.29  |
| Agency Cash Match               | \$27,389.79  |
| Total Agency Share of Costs     | \$52,721.08  |
| Federal Share of Costs          | \$453,132.85 |

## Sweeper Purpose

|                                           |     |
|-------------------------------------------|-----|
| Replace a Noncertified Street Sweeper     | No  |
| Expand Service Area                       | No  |
| Increase Sweeping Frequency               | No  |
| Replace an Older Certified Street Sweeper | Yes |

## Roadway Types

|                            |                                                                                                                                        |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Arterial                   | Yes                                                                                                                                    |
| Collector                  | Yes                                                                                                                                    |
| Residential                | Yes                                                                                                                                    |
| Other                      | Yes                                                                                                                                    |
| Description of Other Lanes | Parking Lots, crossing of Shared-Use Pathways with Collectors and Arterials, special bulb-outs are swept upon request or once a month. |

## Roadway Type Information

|                                                                  |   |
|------------------------------------------------------------------|---|
| Arterial Sweep Cycle Length (measured in days between sweepings) | 7 |
|------------------------------------------------------------------|---|

# Application: MES-27-SW-002, Purchase of PM-10 Sweeper for COM Transportation (replacement unit for 5307)

## Roadway Type Information

|                                                                     |       |
|---------------------------------------------------------------------|-------|
| Arterial Lane Miles to be Swept per Cycle                           | 0     |
| Arterial Average Weekday Traffic per Lane Being Swept               | 3,992 |
| Collector Sweep Cycle Length (measured in days between sweepings)   | 14    |
| Collector Lane Miles to be Swept per Cycle                          | 3     |
| Collector Average Weekday Traffic per Lane Being Swept              | 3,750 |
| Residential Sweep Cycle Length (measured in days between sweepings) | 30    |
| Residential Lane Miles to be Swept per Cycle                        | 195   |
| Residential Average Weekday Traffic per Lane Being Swept            | 250   |
| Other Sweep Cycle Length (measured in days between sweepings)       | 30    |
| Other Lane Miles to be Swept per Cycle                              | 15    |
| Other Average Weekday Traffic per Lane Being Swept                  | 250   |

## Expand Service Areas

|                               |  |
|-------------------------------|--|
| Expand Arterial Lane Miles    |  |
| Expand Collector Lane Miles   |  |
| Expand Residential Lane Miles |  |
| Expand Other Lane Miles       |  |

## Application: MES-27-SW-002, Purchase of PM-10 Sweeper for COM Transportation (replacement unit for 5307)

### Increase Sweeping Frequency

|                                   |  |
|-----------------------------------|--|
| Previous Arterial Cycle Length    |  |
| Previous Collector Cycle Length   |  |
| Previous Residential Cycle Length |  |
| Previous Other Cycle Length       |  |

### Replace a PM-10 Certified Street Sweeper

|                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Number of hours in service on the sweeper that is being replaced                 | 9,305                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Additional information about hours in service                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| The month and year that the older certified sweeper was put into service         | February 2018                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Additional information about service date                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Number of miles (including deadhead miles) on the sweeper that is being replaced | 83,396                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Additional information about service miles                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Percent of time older sweeper was out of service                                 | 25%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Additional information about out of service percentage                           | After more than eight years of service, the Global sweeper has experienced significant wear and tear consistent with its age and operational use. The unit has accumulated 34 work orders, and despite continued repairs and maintenance, its reliability and overall condition continue to decline. The sweeper has also experienced extended periods of downtime, including instances in which manufacturer repairs required longer-than-anticipated turnaround times. These service interruptions have affected the City's ability to maintain scheduled street-sweeping operations and have increased the operational challenges associated with keeping the unit in service. |

### Proximity to PM-10 Monitor

## Application: MES-27-SW-002, Purchase of PM-10 Sweeper for COM Transportation (replacement unit for 5307)

### Proximity to PM-10 Monitor

|                                                                                 |      |
|---------------------------------------------------------------------------------|------|
| Will the requested certified sweeper be used within 4 miles of a PM-10 monitor? | Yes  |
| Names of PM-10 monitors within 4 miles of sweeping route                        | Mesa |

### Local Resource Allocation

|                                                                              |                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Have local resources been committed to support the operation of the sweeper? | Yes                                                                                                                                                                                                                                             |
| Details about local resources                                                | The City of Mesa has six (6) full-time street sweeper operators and eight (8) certified street sweepers in service. The City has an annual vehicle and operational equipment usage budget of \$655,296 allocated to street-cleaning operations. |

### Geographical Area

|                                                                  |                                                                       |
|------------------------------------------------------------------|-----------------------------------------------------------------------|
| Geographical area that the requested street sweeper will operate | Northwest Mesa from Price to Gilbert Rd, from Brown Rd. to Elliot Rd. |
|------------------------------------------------------------------|-----------------------------------------------------------------------|

### Additional Information

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| Is the agency willing to provide MAG with additional information? | Yes |
| Number of Certified Sweepers Operated by Agency                   | 8   |
| Number of Noncertified Sweepers Operated by Agency                | 0   |

Application: MES-27-SW-002, Purchase of PM-10 Sweeper for  
COM Transportation (replacement unit for 5307)

---

Signature

|             |                                     |
|-------------|-------------------------------------|
| Signature   | Sabine King                         |
| Signed Date | 9/17/2026 8:59:50 AM                |
| Signed User | Sabine.King@MesaAZ.gov, Sabine King |



| OPPORTUNITY NAME                | PURCHASE AGREEMENT DATE | EXPIRATION | EST. DELIVERY UPON ORDER RECEIPT | FOB POINT | TERMS          |
|---------------------------------|-------------------------|------------|----------------------------------|-----------|----------------|
| Mesa, AZ - Schwarze A8SE Unit 1 | 09-15-2026              | 12-07-2026 | 07-01-2027                       |           | Due on Receipt |

#### CUSTOMER INFORMATION:

Salesperson. Josh Martin

Customer: City of Mesa, AZ Contact: Joshua Wolfgramm

Address: 20 E. Main Ste 400, Mesa, AZ 85201

Phone: (480) 644-4093 Cell Phone: 4806443126 Email Address: joshua.wolfgramm@mesaaz.gov

#### EQUIPMENT DESCRIPTION

| Year | Chassis Make | Chassis Model  | Make     | Model      |
|------|--------------|----------------|----------|------------|
| 2026 | Freightliner | M2+ Dual Steer | Schwarze | A8 Twister |

#### INVENTORY SPECS

|                                                                                |                                                   |
|--------------------------------------------------------------------------------|---------------------------------------------------|
| <b>A8SE TWISTER STANDARD EQUIPMENT</b>                                         |                                                   |
| <b>SWEPPER ENGINE</b>                                                          | <b>PICKUP HEAD</b>                                |
| Cummins ISB 6.7, 240 hp, 540 lb-ft torque                                      | 90" x 36" Sweeping Head with Rubber               |
| Blast Orifice                                                                  | 3/8" thick, 14" dia                               |
| High capacity dry type air filter with restriction indicator                   |                                                   |
| Pressure hose, 14" Suction Hose                                                |                                                   |
| GHG 2021 emissions                                                             | Sweeps-in-Reverse                                 |
| Battery and 50 gallon fuel tank shared with chassis                            | Doublewide full length                            |
| carbide drag shoes Warranted against wear-out, two years/2000 hours, prorated. |                                                   |
| 160 amp alternator                                                             |                                                   |
| Fuel water separator                                                           | <b>DUST CONTROL SYSTEM</b>                        |
| Safety shutdown system                                                         | Twin Electric diaphragm water pumps with inlet    |
| restriction indicator                                                          |                                                   |
| Electronic throttle                                                            | 60 PSI, 6 gpm Each pump                           |
| <b>HYDRAULIC SYSTEM</b>                                                        | Water tank capacity 470 gallons, polyethylene     |
| 25 gallon vented hydraulic reservoir, w/shut-off valves                        | 25-foot long fire hydrant                         |
| fill hose                                                                      |                                                   |
| Tank mounted level and temperature indicator                                   | 50 mesh cleanable filter, with shut               |
| off valve                                                                      |                                                   |
| Hydraulic pressure, 3200 psi                                                   | Water spray nozzles shall be provided as follows: |
| In tank 10 micron return filter                                                | Five at pickup head, two nozzles inside hopper    |
| 9000 BTU oil to air radiator type oil cooler                                   | Two at gutter broom, per option selected          |
| 12-volt DC hydraulic backup system                                             | Two nozzles in suction tube, two at front         |
| axle                                                                           |                                                   |
| <b>DUST SEPERATOR</b>                                                          | An air purge system for flushing water lines      |
| Centrifugal dust separator, 29000 cu in. with 1680 sq in door                  | <b>OPERATING</b>                                  |
| <b>CONTROLS</b>                                                                |                                                   |
|                                                                                | Sweeper power control, with auto throttle standby |
| <b>HOPPER</b>                                                                  | Broom deploy, tilt and speed                      |

|                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| High strength stainless steel . 6 yd volumetric 5 yd useable<br>leaf bump, sweep in reverse<br>Variable height dump 2' to 12' scissors lift                                                                                                                                                                                                                                                          | Head up/down or<br>Dust control water by zone                                                                                                                                                                             |
| Screens - 3950 square inches, saw tooth design                                                                                                                                                                                                                                                                                                                                                       | Sweeper lighting                                                                                                                                                                                                          |
| Twin dumping cylinders, 53 degrees                                                                                                                                                                                                                                                                                                                                                                   | Sweeps in reverse                                                                                                                                                                                                         |
| Door hydraulically opened, closed and locked                                                                                                                                                                                                                                                                                                                                                         | Hopper dump - in cab                                                                                                                                                                                                      |
| 15" X 27" inspection door<br>Shroud enclosing the water tank and blower system<br>with the following:<br>Hopper vibrator for dumping assistance<br>vacuum enhancer position<br>BLOWER<br>Closed face turbine 10 curved blades, 32.75" dia. by 5" wide<br>door open indicator, hyd temp<br>500 Brinell hardness abrasion resistant steel<br>sweeping<br>Fully balanced within 1.5 grams on both sides | INSTRUMENTS<br>Full color hi-res display<br>Water level, broom speed, hopper load,<br>Sweeper and drive system diagnostics<br>Hopper tilted and<br>Swiveling console for left or right<br>Hyd. temp. & filter restriction |
| Vacuum enhancer, w/indicator in cab                                                                                                                                                                                                                                                                                                                                                                  | Sweep power setting                                                                                                                                                                                                       |
| Remote grease line for fan bearing                                                                                                                                                                                                                                                                                                                                                                   | SAFETY EQUIPMENT                                                                                                                                                                                                          |
| COMPONENT WARRANTIES (by respective manufacturer)<br>hopper in raised position<br>Sweeper 12 Months, 1200 Hours                                                                                                                                                                                                                                                                                      | Two body props to lock<br>Rear Amber LED Strobe With Guard                                                                                                                                                                |
| VPD Device 36 months, unlimited hours<br>flashing lights<br>Chassis sweeper engine 24 Months<br>alarm<br>Sweeper hydraulic pumps and fittings 5 years<br>warning triangle kit<br>Sweeper hydraulic motors and valves 2 years                                                                                                                                                                         | 2 rear yellow alternating LED<br>Slow moving vehicle emblem, backup<br>5-lb fire extinguisher, and a<br>Rear view camera                                                                                                  |

|   |                             |              |
|---|-----------------------------|--------------|
|   | <b>POWER MODULE OPTIONS</b> | <b>Price</b> |
| 1 | M2 240hp VPD sweeper drive  | \$284,997.19 |

|                              |                   |          |
|------------------------------|-------------------|----------|
| <b>SWEEPING HEAD OPTIONS</b> |                   |          |
| 1                            | Sweep Head Deluge | \$560.11 |

|                             |                                                           |             |
|-----------------------------|-----------------------------------------------------------|-------------|
| <b>GUTTER BROOM OPTIONS</b> |                                                           |             |
| 1                           | Gutter Broom, Dual W/Power Tilt                           | \$10,497.75 |
| 1                           | Gutter Broom, GEO Dual                                    | \$3,754.51  |
| 1                           | Gutter Broom, In-Cab Down Pressure (single or dual broom) | \$6,091.24  |

|                              |                                                                                    |            |
|------------------------------|------------------------------------------------------------------------------------|------------|
| <b>MISCELLANEOUS OPTIONS</b> |                                                                                    |            |
| 1                            | Camera System, Four w/Split Screen (Location of camera 2, 3, 4 in Special Options) | \$1,448.42 |
| 1                            | 14 Point Standard Remote Grease Manifold                                           | \$1,360.90 |

|                             |                                  |            |
|-----------------------------|----------------------------------|------------|
| <b>WATER SYSTEM OPTIONS</b> |                                  |            |
| 1                           | Spray Bar, Front                 | \$1,085.22 |
| 1                           | Spray Bar, Hopper Add. 4 Nozzles | \$1,019.58 |
| 1                           | Water Tank, Standard 470G        |            |

|                       |                              |            |
|-----------------------|------------------------------|------------|
| <b>HOPPER OPTIONS</b> |                              |            |
| 1                     | Hopper Deluge, Conical Spray | \$1,304.01 |

|                              |                                                                   |            |
|------------------------------|-------------------------------------------------------------------|------------|
| <b>REAR LIGHTING OPTIONS</b> |                                                                   |            |
| 1                            | Arrowboard, Traffic Guide (Not compatible with rear LED Barlight) | \$1,640.96 |

|                                 |                                                |              |
|---------------------------------|------------------------------------------------|--------------|
| <b>CHASSIS MOUNTING OPTIONS</b> |                                                |              |
| 1                               | FL M2+ 184" Dual Steer, 48 States, Non Carb    | \$106,605.00 |
| 1                               | FL M2+ 184" Right Hand Street Chassis Upcharge | \$21,980.00  |

|                           |                            |          |
|---------------------------|----------------------------|----------|
| <b>M2 CHASSIS OPTIONS</b> |                            |          |
| 1                         | Mirror, 12" Parabolic, Set | \$560.11 |

|                                        |                                            |
|----------------------------------------|--------------------------------------------|
| 1                                      | Schwarze Tariff \$6,393.00                 |
| <b>**SWEEPER EXTENDED WARRANTIES**</b> |                                            |
| 1                                      | DIAMOND- 5 Years or 6000 Hours \$10,295.00 |

Trade In Information

| Trade In Year | Trade In Make | Trade In Model | Trade In Amount |
|---------------|---------------|----------------|-----------------|
|               |               |                |                 |

| Add Ons Price each | Misc Charge Details |
|--------------------|---------------------|
|                    |                     |

TERMS OF SALE:

|                                                                     |                                                                                                               |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| Purchase Price Each:                                                | \$459,593.00                                                                                                  |
| Purchase Quantity:                                                  | 1                                                                                                             |
| Total                                                               | \$459,593.00                                                                                                  |
| Add Ons Total                                                       | \$0.00                                                                                                        |
| Less Trade in value(s):                                             |                                                                                                               |
| Sales Tax: Applicable sales taxes will be applied to final invoice. | \$38,260.93                                                                                                   |
| Federal Excise Tax 12%                                              | each                                                                                                          |
| Federal Excise Tax Total                                            |                                                                                                               |
| Title, Registration, and Dealer Fees                                | total \$0.00                                                                                                  |
| Freight Each:                                                       | \$8,000.00                                                                                                    |
| Total Freight:                                                      | \$8,000.00                                                                                                    |
| Total Amount Due:                                                   | <div> <div>**If a deposit is required, a deposit invoice will follow. **</div> <div>\$505,853.93</div> </div> |

TERMS AND CONDITIONS:

**1. Customer's responsibilities.** Customer agrees to pay Enviro-Clean Equipment (EnviroClean) all charges required by law to be collected, including without limitation all tag, title, license, and all federal, state, and local taxes. Although EnviroClean has used its best efforts to accurately state the amounts due under this Agreement, Customer remains liable for any additional amounts which may be assessed by law against EnviroClean. Unpaid or past due balances will be assessed a 1.5% per month interest charge, (18% per annum).

**2. Deposit.** Should EnviroClean fail to accept this offer or be unable to deliver the vehicle as promised, the Customer's sole remedy against EnviroClean shall be a return of the deposit as liquidated damages. Should Customer fail to take delivery of the vehicle for any reason or otherwise breach this agreement, EnviroClean may elect to retain the deposit, and sue for any actual damages incurred by EnviroClean for work done, costs incurred, and for any incidental or consequential damages caused by Customer's breach.

**3. Warranties.** All used vehicles are sold "AS IS, WITHOUT WARRANTY", either express or implied. EnviroClean SPECIFICALLY DISCLAIMS ALL WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ALL OTHER REPRESENTATIONS TO THE CUSTOMER NOT EXPRESSLY SET FORTH IN THIS AGREEMENT. No other person is authorized to make any representations or warranties on behalf of EnviroClean, unless made or assumed in writing by EnviroClean.

**4. Limitation of Liability.** Customer shall have the right to fully inspect the vehicle at the time of delivery. Acceptance of the vehicle constitutes Customer's waiver of all claims against EnviroClean for all actual, incidental or consequential damages, including without limitation: a) loss, damage or delays for any reason; b) failure to supply any property ordered hereunder unless EnviroClean receives notification of such failure within one week of delivery; c) loss of use, loss of time, lost profits or income; d) changes in design, materials or specifications explicitly specified by the Customer; e) modifications to the vehicle that the Customer specifies to be performed by others; and f) defects in design, materials or workmanship unless EnviroClean receives notification of such defects within one week of delivery.

Customer shall defend, indemnify and hold harmless EnviroClean and its subsidiaries and affiliated companies, their officers, agents and employees against all loss, liability and expense, including reasonable attorney's fees, by reason of bodily injury including death, and property damage, sustained by any person or persons including but not limited to the officers, agents and employees of Customer, as a result of the Customer's maintenance, use, operation, servicing, transportation, defect in or failure of the vehicle, whether such bodily injury, death or property damage is due or claimed to be due in whole or in part, to any neglect, default, defect, fault, failure, act or omission, by or on behalf of EnviroClean, its officers, agents and employees or any other person, including but not limited to any claims of strict liability in tort, breach of warranty, and/or negligence.

**5. Modifications by Others.** Customer acknowledges that any requested modifications to the vehicle that the Customer specifies to be performed by others are Customer's sole responsibility, and Customer shall reimburse EnviroClean for the cost of such modifications, regardless of whether Customer takes delivery of the vehicle. EnviroClean is not liable for any defects in design, materials or workmanship, or any errors or omissions by such third parties.

**6. Miscellaneous.** Risk of loss shall pass to the Customer upon acceptance of delivery of the vehicle. A facsimile of this agreement shall have the same legal effect as an original hereof. Venue for any actions involving this agreement, including counterclaims, crossclaims or third-party claims shall be exclusively in Maricopa County, Arizona, and this agreement shall be construed under the laws of the State of Arizona. This agreement may not be assigned by Customer. This agreement expresses the entire agreement

of the parties. If any part hereof is contrary to, prohibited by or deemed invalid under applicable laws or regulations of any jurisdiction, such provision shall be inapplicable and deemed omitted but shall not invalidate the remaining provisions hereof. In the event that EnviroClean is required to employ an attorney to enforce any of the terms of this agreement, Customer shall be liable for all reasonable attorney's fees and costs, regardless of whether suit is instituted, through and including all trials, appeals and bankruptcy proceedings.

I HAVE READ AND UNDERSTAND THE ABOVE TERMS AND CONDITIONS.

CUSTOMER:

EnviroClean REPRESENTATIVE:

|       |                    |             |               |
|-------|--------------------|-------------|---------------|
| _____ | Signature          | _____       | Signature     |
| _____ | Print Name         | Josh Martin | Print Name    |
| _____ | Customer PO Number | _____       | Date          |
| _____ | Date               | _____       | Contact Email |
|       |                    | _____       | Contact Cell  |

Enviro-Clean Equipment

| Item Description                                                                   | Amount       | Ineligible for Reimbursement        | Phoenix step tax, 9.1% of first \$14,338 | Phoenix step tax, 8.3% of > \$14338 | Amount      |
|------------------------------------------------------------------------------------|--------------|-------------------------------------|------------------------------------------|-------------------------------------|-------------|
| M2 240hp VPD sweeper drive                                                         | \$284,997.19 |                                     |                                          |                                     |             |
| Sweep Head Deluge                                                                  | \$560.11     |                                     |                                          |                                     |             |
| M2 240hp VPD sweeper drive                                                         | \$10,497.75  |                                     |                                          |                                     |             |
| Gutter Broom, GEO Dual                                                             | \$3,754.51   |                                     |                                          |                                     |             |
| Gutter Broom, In-Cab Down Pressure (single or dual broom)                          | \$6,091.24   |                                     |                                          |                                     |             |
| Camera System, Four w/Split Screen (Location of camera 2, 3, 4 in Special Options) | \$1,448.42   |                                     |                                          |                                     |             |
| 14 Point Standard Remote Grease Manifold                                           | \$1,360.90   |                                     |                                          |                                     |             |
| Spray Bar, Front                                                                   | \$1,085.22   |                                     |                                          |                                     |             |
| Spray Bar, Hopper Add. 4 Nozzles                                                   | \$1,019.58   |                                     |                                          |                                     |             |
| Water Tank, Standard 470G                                                          | \$0.00       |                                     |                                          |                                     |             |
| Hopper Deluge, Conical Spray*                                                      | \$1,304.01   | \$1,304.01                          |                                          | \$108.23                            | \$1,412.24  |
| Arrowboard, Traffic Guide (Not compatible with rear LED Barlight)                  | \$1,640.96   |                                     |                                          |                                     |             |
| FL M2+ 184" Dual Steer, 48 States, Non Carb                                        | \$106,605.00 |                                     |                                          |                                     |             |
| FL M2+ 184" Right Hand Street Chassis Upcharge*                                    | \$21,980.00  | \$21,980.00                         | \$1,304.76                               | \$634.29                            | \$23,919.04 |
| Mirror, 12" Parabolic, Set                                                         | \$560.11     |                                     |                                          |                                     |             |
| Schwarze Tariff                                                                    | \$6,393.00   |                                     |                                          |                                     |             |
| Extended Warranties DIAMOND- 5 Years or 6000 Hours                                 | \$10,295.00  |                                     |                                          |                                     |             |
| Subtotal:                                                                          | \$459,593.00 | Total Ineligible for Reimbursement: |                                          |                                     | \$25,331.29 |

Phoenix Step Tax, First \$14,338 taxed at 9.1%: \$1,304.76

Phoenix Step Tax, > \$14,338 taxed at 8.3%: \$36,956.17

Freight (non-tax): \$8,000.00

**\$505,853.92**

\*Per the vendor, for tax and billing purposes, the sweeper, including all accessories, will be billed as a single item.

# City of Mesa In House Sweeping Schedule



- Legend**
- Route 1 - 188 Miles
  - Route 2 - 207 Miles
  - Route 3 - 195 Miles
  - Route 4 - 197 Miles
  - Route 5 - 197 Miles
  - Route 6 - 164 Miles
  - City Boundary

